



# SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Product name: **CPI®-1009-68**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Refrigeration Lubricants.  
Uses advised against: None identified.

### 1.3 Details of the supplier of the safety data sheet

#### Supplier

Company Name: LUBRIZOL LIMITED  
Address: THE KNOWLE, NETHER LANE  
HAZELWOOD, DERBYSHIRE, DE56 4AN  
GB  
Telephone: (44) 01332-842211  
E-mail contact: EUSDS@lubrizol.com {Lubrizol Safety Data Sheets can be obtained at  
www.mylubrizol.com}

### 1.4 Emergency telephone number:

FOR TRANSPORT EMERGENCY CALL CHEMTREC (+1) 703 527 3887 (LUBRIZOL)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

This product does not meet the classification requirements of the current European legislation.

#### Classification according to Regulation (EC) No 1272/2008 as amended.

Not classified

### 2.2 Label elements according to Regulation (EC) No 1272/2008 as amended

Signal Words: not applicable

Hazard Statement(s): not applicable

Precautionary Statement  
not applicable

#### Supplemental label information

EUH210: Safety data sheet available on request.  
Safety data sheet available for professional user on request.

2.3 Other hazards: None identified.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Regulation No. 1272/2008.

Chemical name	Concentration	EC No.	REACH Registration No.	M-Factor:	Notes
White mineral oil (petroleum)	1 - 10%	232-455-8	01-2119487078-27		
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	1 - 10%	276-737-9			

600, 700 and 900 ECHA List Numbers do not have any legal significance; rather they are purely technical identifiers and are displayed for informational purposes only.

#### Classification Regulation No. 1272/2008.

Chemical name	Classification	Notes
White mineral oil (petroleum)	Asp. Tox. 1; H304	
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	Asp. Tox. 1; H304	

The full text for all H-phrases is displayed in section 16.

See Section 15 for Regulation (EC) No. 1907/2006 REACH Article 59(1). Candidate List (Substances of Very High Concern (SVHC))

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- Inhalation:** Remove exposed person to fresh air if adverse effects are observed.
- Eye contact:** Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses.
- Skin Contact:** Wash with soap and water. Get medical attention if symptoms occur. Launder contaminated clothing before reuse.
- Ingestion:** Treat symptomatically. Get medical attention.

**4.2 Most important symptoms and effects, both acute and delayed:** See section 11.

### 4.3 Indication of any immediate medical attention and special treatment needed

- Hazards:** No data available.
- Treatment:** Treat symptomatically.

## SECTION 5: Firefighting measures

**General Fire Hazards:** No unusual fire or explosion hazards noted.

### 5.1 Extinguishing media

**Suitable extinguishing media:** CO<sub>2</sub>, Dry chemical or Foam. Water can be used to cool and protect exposed material.

**Unsuitable extinguishing media:**

Do not use water jet as an extinguisher, as this will spread the fire.

**5.2 Special hazards arising from the substance or mixture:**

A solid stream of water will spread the burning material. Material creates a special hazard because it floats on water. See section 10 for additional information.

**5.3 Advice for firefighters**

**Special fire fighting procedures:**

No data available.

**Special protective equipment for fire-fighters:**

Recommend wearing self-contained breathing apparatus.

**SECTION 6: Accidental release measures**

**6.1 Personal precautions, protective equipment and emergency procedures:**

Personal Protective Equipment must be worn, see Personal Protection Section for PPE recommendations.

**6.2 Environmental Precautions:**

Avoid release to the environment. Do not contaminate water sources or sewer. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so.

**6.3 Methods and material for containment and cleaning up:**

Dike far ahead of larger spill for later recovery and disposal. Pick up free liquid for recycle and/or disposal. Residual liquid can be absorbed on inert material.

**6.4 Reference to other sections:**

See sections 8 and 13 for additional information.

**SECTION 7: Handling and storage:**

**7.1 Precautions for safe handling:**

Material can accumulate static charges which may cause an electrical spark (ignition source). Use proper bonding and/or grounding procedures. Use grounding and bonding connection when transferring material. In case of spills, beware of slippery floors and surfaces.

Observe good industrial hygiene practices. Provide adequate ventilation. Wear appropriate personal protective equipment.

**Maximum Handling Temperature:**

Not determined.

**7.2 Conditions for safe storage, including any incompatibilities:**

Store away from incompatible materials. See section 10 for incompatible materials.

**Maximum Storage Temperature:**

Not determined.

**7.3 Specific end use(s):**

End uses are listed in an attached exposure scenario when one is required.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control Parameters

#### Occupational Exposure Limits

None of the components have assigned exposure limits.

### 8.2 Exposure controls

**Appropriate engineering controls:** No special requirements under ordinary conditions of use and with adequate ventilation.

#### Individual protection measures, such as personal protective equipment

**General information:** Use personal protective equipment as required.

**Eye/face protection:** If contact is likely, safety glasses with side shields are recommended.

#### Skin protection

**Hand Protection:** Nitrile. Use nitrile or neoprene gloves. Use good industrial hygiene practices. In case of skin contact, wash hands and arms with soap and water.

**Other:** No data available.

**Respiratory Protection:** Use disposable dust/mist mask if the recommended exposure limit is exceeded. Consult with an industrial hygienist to determine the appropriate respiratory protection for your specific use of this material. A respiratory protection program compliant with all applicable regulations must be followed whenever workplace conditions require the use of a respirator.

**Hygiene measures:** Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

**Environmental Controls:** No data available.  
See section 6 for details.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

**Physical state:** liquid  
**Form:** liquid  
**Color:** Colorless to yellow

**Odor:** Mild

**Odor Threshold:** No data available.

**pH:** No data available.

**Freezing point:** No data available.

**Boiling Point:** No data available.

**Flash Point:** 226 °C (Cleveland Open Cup)

**Evaporation Rate:** No data available.

**Flammability (solid, gas):** No data available.

**Upper/lower limit on flammability or explosive limits**

<b>Flammability Limit - Upper (%):</b>	No data available.
<b>Flammability Limit - Lower (%):</b>	No data available.
<b>Vapor pressure:</b>	No data available.
<b>Vapor density (air=1):</b>	No data available.
<b>Relative density:</b>	0.867 (15.6 °C)
<b>Solubility(ies)</b>	
<b>Solubility in Water:</b>	Insoluble in water
<b>Solubility (other):</b>	No data available.
<b>Partition coefficient (n-octanol/water):</b>	No data available.
<b>Autoignition Temperature:</b>	246 °C
<b>Decomposition Temperature:</b>	No data available.
<b>Viscosity:</b>	69 mm <sup>2</sup> /s (40 °C); 9.1 mm <sup>2</sup> /s (100 °C )
<b>Explosive properties:</b>	No data available.
<b>Oxidizing properties:</b>	No data available.
<b>VOC Content:</b>	No data available.
<b>Other information</b>	
<b>Bulk density:</b>	7.4 lb/gal (25 °C)

**SECTION 10: Stability and reactivity**

<b>10.1 Reactivity:</b>	No data available.
<b>10.2 Chemical Stability:</b>	Material is stable under normal conditions.
<b>10.3 Possibility of hazardous reactions:</b>	Will not occur.
<b>10.4 Conditions to avoid:</b>	Do not expose to excessive heat, ignition sources, or oxidizing materials.
<b>10.5 Incompatible Materials:</b>	Strong acids. Oxidizing agents.
<b>10.6 Hazardous Decomposition Products:</b>	Thermal decomposition or combustion may generate smoke, carbon monoxide, carbon dioxide, and other products of incomplete combustion.

**SECTION 11: Toxicological information**

**Information on likely routes of exposure**

<b>Inhalation:</b>	No data available.
<b>Ingestion:</b>	No data available.
<b>Skin Contact:</b>	No data available.
<b>Eye contact:</b>	No data available.

## 11.1 Information on toxicological effects

### Acute toxicity

#### Oral

Product: Not classified for acute toxicity based on available data.

#### Dermal

Product: Not classified for acute toxicity based on available data.

#### Inhalation

Product: Not classified for acute toxicity based on available data.

#### Skin Corrosion/Irritation:

Product: Prolonged or repeated skin contact as from clothing wet with material may cause dermatitis. Symptoms may include redness, edema, drying, and cracking of the skin.  
Remarks: Not classified as a primary skin irritant.

#### Serious Eye Damage/Eye Irritation:

Product: Remarks: Not classified as a primary eye irritant.

#### Respiratory sensitization:

No data available

#### Skin sensitization:

White mineral oil (petroleum) Classification: Not a skin sensitizer. (Literature) Not a skin sensitizer.

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based Classification: Not a skin sensitizer. (Read across)

#### Specific Target Organ Toxicity - Single Exposure:

White mineral oil (petroleum) If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and the upper respiratory tract.

#### Aspiration Hazard:

White mineral oil (petroleum) Material can be aspirated into the lungs during the act of swallowing or vomiting. This could result in severe injury to the lungs and death.

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based Material can be aspirated into the lungs during the act of swallowing or vomiting. This could result in severe injury to the lungs and death.

### Chronic Effects

#### Carcinogenicity:

Product: This product contains mineral oils which are severely refined and not considered carcinogenic. All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP 346 test.

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP 346 test. This product contains mineral oils which are severely refined and not considered carcinogenic.

**Germ Cell Mutagenicity:** No data available

**Reproductive toxicity:** No data available

**Specific Target Organ Toxicity - Repeated Exposure:** No data available

## SECTION 12: Ecological information

### 12.1 Ecotoxicity

#### Fish

White mineral oil (petroleum) LC 50 (Not reported, 96 h): > 10,000 mg/l  
NOEC (Not reported, 96 h): > 10,000 mg/l

#### Aquatic Invertebrates

White mineral oil (petroleum) EC 50 (Water flea (Daphnia magna), 2 d): > 100 mg/l  
NOEC (Water flea (Daphnia magna), 2 d): >= 100 mg/l  
EC 50 (Water flea (Daphnia magna), 21 d): > 10 mg/l  
NOEC (Water flea (Daphnia magna), 21 d): 10 mg/l

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based EC 50 (Water flea (Daphnia magna), 2 d): > 10,000 mg/l  
EC 50 (Water flea (Daphnia magna), 21 d): > 10 mg/l  
NOEC (Water flea (Daphnia magna), 21 d): 10 mg/l

#### Toxicity to Aquatic Plants

White mineral oil (petroleum) LC 50 (Algae (Pseudokirchneriella subcapitata), 3 d): > 100 mg/l  
NOEC (Algae (Pseudokirchneriella subcapitata), 3 d): > 100 mg/l

#### Toxicity to soil dwelling organisms

No data available

#### Sediment Toxicity

No data available

#### Toxicity to Terrestrial Plants

No data available

#### Toxicity to Above-Ground Organisms

No data available

#### Toxicity to microorganisms

No data available

### 12.2 Persistence and Degradability

#### Biodegradation

White mineral oil (petroleum) Oxygen depletion 31.13 % (28 d, OECD TG 301 F)

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based Oxygen depletion 31 % (28 d, OECD TG 301 F)

**BOD/COD Ratio**

No data available

**12.3 Bioaccumulative Potential  
Bioconcentration Factor (BCF)**

No data available

**Partition Coefficient n-octanol / water (log Kow)**

No data available

**12.4 Mobility:**

No data available

**12.5 Results of PBT and vPvB assessment**

No data available

**12.6 Other Adverse Effects:**

No data available.

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

**Disposal methods:** Treatment, storage, transportation, and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations. Since emptied containers retain product residue, follow label warnings even after container is emptied.

**Contaminated Packaging:** Container packaging may exhibit hazards.

**SECTION 14: Transport information**

**ADR**

Not regulated.

**IMDG**

Not regulated.

**IATA**

Not regulated.

**14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

None known.

Shipping descriptions may vary based on mode of transport, quantities, temperature of the material, package size, and/or origin and destination. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material. For transportation, steps must be taken to prevent load shifting or materials falling, and all relating legal statutes should be obeyed. Review classification requirements before shipping materials at elevated temperatures.

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:**

**EU Regulations**



**Regulation (EC) No. 2037/2000 Substances that deplete the ozone layer:**

None present or none present in regulated quantities.

**Regulation (EC) No. 850/2004 on persistent organic pollutants:**

None present or none present in regulated quantities.

**Regulation (EC) No. 689/2008 Import and export of dangerous chemicals:**

None present or none present in regulated quantities.

**Regulation (EC) No. 1907/2006, REACH Article 59(1). Candidate List:**

None present or none present in regulated quantities.

**Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended:**

None present or none present in regulated quantities.

**Regulation (EC) No. 1907/2006 Annex XVII Substances subject to restriction on marketing and use:**

None present or none present in regulated quantities.

**Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens and mutagens at work.:**

None present or none present in regulated quantities.

**Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breast feeding.:**

Chemical name	EC No.	Concentration
Lubricating oils, petroleum, C20-50, hydrotreated neutral oil-based	276-738-4	90 - 100%
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	276-737-9	1.0 - 10%
Distillates (petroleum), solvent-refined heavy paraffinic	265-090-8	0.1 - 1.0%
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	276-737-9	0.1 - 1.0%

**Directive 96/82/EC (Seveso II): on the control of major accident hazards involving dangerous substances:**

Chemical name	EC No.	Concentration
Lubricating oils, petroleum, C20-50, hydrotreated neutral oil-based	276-738-4	90 - 100%
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	276-737-9	1.0 - 10%
Distillates (petroleum), solvent-refined heavy paraffinic	265-090-8	0.1 - 1.0%
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	276-737-9	0.1 - 1.0%

**EU. Regulation No. 166/2006 PRTR (Pollutant Release and Transfer Registry), Annex II: Pollutants:**

None present or none present in regulated quantities.

**Directive 98/24/EC on the protection of workers from the risks related to chemical agents at work:**

None present or none present in regulated quantities.

## Inventory Status

### Australia (AICS)

All components are in compliance with chemical notification requirements in Australia.

### Canada (DSL/NDSL)

All components are in compliance with the Canadian Environmental Protection Act and are present on the Domestic Substances List.

### China (IECSC)

All components of this product are listed on the Inventory of Existing Chemical Substances in China.

### European Union (REACH)

To obtain information on the REACH compliance status of this product, please e-mail REACH@SDSInquiries.com.

### Japan (ENCS)

All components are in compliance with the Chemical Substances Control Law of Japan.

### Korea (ECL)

All components are in compliance in Korea.

### New Zealand (NZIoC)

All components are in compliance with chemical notification requirements in New Zealand.

### Philippines (PICCS)

All components are in compliance with the Philippines Toxic Substances and Hazardous and Nuclear Wastes Control Act of 1990 (R.A. 6969).

### Switzerland (SWISS)

All components are in compliance with the Environmentally Hazardous Substances Ordinance in Switzerland.

### Taiwan (TCSCA)

All components of this product are listed on the Taiwan inventory.

### United States (TSCA)

All components of this material are on the US TSCA Inventory.

*The information that was used to confirm the compliance status of this product may deviate from the chemical information shown in Section 3.*

### 15.2 Chemical safety assessment:

No Chemical Safety Assessment has been carried out.

## SECTION 16: Other information

**Key literature references and sources for data:** Internal company data and other publically available resources.

### Wording of the H-statements in section 2 and 3:

H304 May be fatal if swallowed and enters airways.

**Issue Date:** 27.04.2016

**Disclaimer:**

As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of this product. Information contained herein is believed to be true and accurate but all statements or suggestions are made without warranty, expressed or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Compliance with all applicable federal, state, and local regulations remains the responsibility of the user.